



BOMBER ENDURO RACE RULES

MINIMUM AGE IS 14

NO RACE CARS PERMITTED

STOCK CARS ONLY

2 DOOR OR 4 DOOR

NO TRUCK, VAN, SUV OR CONVERTABLE

NO JEEP TYPE VEHICLE

NO 4-WHEEL DRIVE VEHICLE

CARS MAY BE FRONT OR REAR WHEEL DRIVE

4, 6 OR 8 CYLINDER ENGINES

101" MINIMUM STOCK WHEELBASE ALLOWED

NO TURBOS

ROLL CAGE RECOMMENDED OR MUST HAVE POST BEHIND DRIVER SEAT FROM FLOOR TO TOP OF CAR

STEEL 2x3 SQUARE TUBING ON DRIVER SIDE COVERING ENTIRE DOOR AREA AT BUMPER HEIGHT

GUTTING OF FACTORY INTERIOR PANELS ONLY ALLOWED FOR ROLL CAGE CLEARANCE. YOU MAY REMOVE THE INNER DOOR BRACING TO REPLACE WITH DOOR BARS

NO BRACING IN THE BUMPER AREAS

BUMPERS SHOULD BE CHAINED OR CABLED AS A SAFETY ITEM TO HELP HOLD THE BUMPER

ALL DOORS MUST BE WELDED, CHAINED OR BOLTED SHUT

WINDSHIELD MAY BE REPLACED WITH LEXAN

SEAT BELTS MANDATORY

RACING SHOULDER HARNESS AND LAP BELTS ARE RECOMMENDED

RACING SEATS ARE ALLOWED

ALL BURNABLE TYPE MATERIAL, FLOOR MATS, HEAD LINERS, REAR SEATS MUST BE REMOVED

THE REAR SEAT SHELF MUST BE LEFT IN AS A FIRE STOP



ANY OPENINGS TO THE TRUNK AREA MUST BE
ENCLOSED BUMPER TO BUMPER STEEL UNI-BODY MUST
BE RETAINED NO LIGHTENING PERMITTED
THE STOCK STEEL UNALTERED FLOOR PAN, FIREWALLS, TRUNK AND WHEEL WELLS MUST BE RETAINED
FUEL CELLS PERMITTED AND MAY BE PLACED IN TRUNK AREA IF SECURELY FASTENED
GAS TANK MUST BE ORIGINAL AND PLACED IN TRUNK
MUST HAVE TWO MAGNETIC STEEL HOLDING STRAPS
CARS MUST RETAIN THEIR STOCK APPEARANCE
NO CUTTING, CHOPPING, CHANNELING OR SHORTENING ALLOWED
HOODS MUST BE KEPT IN PLACE AT ALL TIMES
WINDOW NETS ARE RECOMMENDED
SUSPENSION PARTS MUST REMAIN STOCK FOR THAT MAKE AND MODEL CAR
NO SPACERS, LUMBER OR CHAINS ETC. MAY BE USED TO ALTER STOCK SUSPENSION OF CAR
NO ADDITIONAL WEIGHT MAY BE ADDED TO CAR
STOCK WHEELS ONLY
TIRES - D.O.T. LEGAL TIRES, 70 SERIES MAX 200 TREADWEAR OR HIGHER
NO DOT STAMPED RACING TIRES
NO TRUCK TIRES
NO TREATED TIRES
NO GROOVING OR SIPING OF TIRES
THE ENGINE MUST BE STRICTLY STOCK FOR THAT MAKE AND MODLE AND IN IT'S ORIGINAL MOUNTS
NO AFTERMARKET EXTERNAL OIL COOLERS
A/C AND HEAT COMPONENTS MAY BE REMOVED SMOG EQUIPMENT MAY BE REMOVED
AIR CLEANER TO OIL PAN MUST BE ALL FACTORY EQUIPMENT
STOCK TRANSMISSION AND REAR END ONLY
NO AFTERMARKET EXTERNAL OIL COOLERS



ALL TRANSMISSION LINES MUST BE COVERED OR RUN OUTSIDE OF DRIVER AREA OF CAR

ONLY ONE RADIATOR CAN BE USED RADIATOR MUST REMAIN IN ORIGINAL POSITION

NO COOLANT OR GAS LINES IN THE DRIVER AREA OF CAR

BATTERIES MAY BE RELOCATED IN A SECURE

FASTENED COVERED PLASTIC OR RUBBER CONTAINER

ALL PLASTIC GRILLS MUST BE REMOVED OR REPLACED WITH SCREEN MESH

HEADLIGHTS, TAIL LIGHTS, OUTER TRIM MUST BE REMOVED

SIDE AND REAR WINDOW GLASS MUST BE REMOVED

ALL SIDE MIRRORS AND REAR VIEW MIRRORS MUST BE REMOVED

NO MIRRORS ARE ALLOWED

RUPTURE OF YOUR GAS TANK AND OR LOSS OF GAS REQUIRE AN IMMEDIATE BLACK FLAG

NO LOCKED REARS

FIRE SUIT, GLOVES AND APPROVED HELMET REQUIRED FOR EACH DRIVER